

## Make Submission

<b>Consultee</b>	Mrs Nerea Mingozzi (52196)
<b>Email Address</b>	farfield@xtra.co.nz
<b>Address</b>	59 Clifford Avenue Christchurch 8014
<b>Event Name</b>	Proposed Variation 1 to the Proposed Canterbury Land and Water Regional Plan
<b>Submission by</b>	Mrs Nerea Mingozzi
<b>Submission ID</b>	V1pLWRP-119
<b>Response Date</b>	24/03/14 8:09 AM
<b>Consultation Point</b>	7. MANDATORY INFORMATION - HAVE YOUR SAY ( <a href="#">View</a> )
<b>Status</b>	Submitted
<b>Submission Type</b>	Letter
<b>Version</b>	0.2
<b>To Be Heard</b>	

**Please select the appropriate option from the following:** I DO NOT wish to be heard in support of my submission; or

**If so**

## Make Submission

<b>Consultee</b>	Mrs Nerea Mingozi (52196)
<b>Email Address</b>	farfield@xtra.co.nz
<b>Address</b>	59 Clifford Avenue Christchurch 8014
<b>Event Name</b>	Proposed Variation 1 to the Proposed Canterbury Land and Water Regional Plan
<b>Submission by</b>	Mrs Nerea Mingozi
<b>Submission ID</b>	V1pLWRP-114
<b>Response Date</b>	21/03/14 3:20 PM
<b>Consultation Point</b>	11.5.37 Paragraph ( <a href="#">View</a> )
<b>Status</b>	Submitted
<b>Submission Type</b>	Web
<b>Version</b>	0.1

*State concisely whether you support or oppose the provision being submitted on, or wish to have amendments made.*

**My submission is that:** Oppose

*Please state your reasons for supporting/opposing/amendments sought*

**My reason(s) for supporting, opposing or requesting amendments to this specific provision are:**

The proposed restrictions on water permits transfers should be based on the review of current water permits and their annual volumes. If the area is over-allocated, any restrictions should be spread over all the users and not only on those seeking transfer.

Furthermore, any error in the database should be corrected.

Finally, according to a study just released by Ecan, to address the over-allocation of water permits in the Rakaia-Selwyn Groundwater Zone using rule 11.5.37 will take 74 years, and that's assuming that the rate of transfers will continue at the same rate before the PLWRP was notified in August 2012 which is not happening at all.

*Please give precise details for each provision. The more specific you can be the easier it will be for the Council to understand the outcome you are seeking.*

**I seek the following decisions from Environment Canterbury:**

Before introducing new restrictions Ecan should monitor the result of lower uptake from groundwater in the Rakaia-Selwyn zone due to implementation of Central Plain Water Irrigation scheme.