

**PROPOSED PLAN CHANGE 4 TO THE PARTLY OPERATIVE CANTERBURY LAND AND WATER
REGIONAL PLAN**

**Addendum to the Summary of Decisions
Requested Report PROVISION ORDER
17 November 2015**

SUMMARY OF DECISIONS REQUESTED GUIDELINES

As with all regional and district plan reviews and plan changes, the Resource Management Act 1991 (RMA) requires the council to prepare a report summarising all the decisions requested. The information below outlines how the submissions were summarised and provides guidance on how to navigate the Summary of Decisions Requested (SDR) report.

The report is made up of concise summaries of the decisions requested in submissions. The report is not intended to be a summary of the submissions in their entirety and does not include reasons for the request or other supporting material included in the submissions. The original submission should be referred to if you are seeking to make a further submission, or to fully understand the issues raised by a submitter.

Each submission has been given a unique number and is coded against the plan provision, as shown below.

Plan Provision	Point ID	Submitter	Support/Oppose	Summary of Decision Requested
Plan Change 4 to the Canterbury Land and Water Regional Plan	PC4 LWRP-000	Mr A Nonymous	Support	Support PC4 in its entirety.

Plan provision tells you where in the plan the submission point is coded to.

Point ID is the 'coding' of the submission

Where a submitter wants the Council to confirm the proposed change to the LWRP in Plan Change 4 'retain' is identified as the decision requested. Where submissions seek to keep the operative LWRP provisions and reject the PC4 amendment, 'delete' is identified as the decision requested.

Where a submission requests amendments to the text, this has generally been identified with strikethrough for deleted text and underlining for inserted text. However, if amendments are not apparent, then the direction provided in the submission has been included. Submissions which quote substantial sections of the Plan Change 4 text without amendment, ellipses [...] have been included to indicate the omitted text.

Where the decision requested is unclear, this is stated, and the reader ought to refer to the original submission.

Many submissions included a request for 'any such consequential amendments' or similar. Such requests have not been included in the summary of decisions requested. The Hearings Panel will be able to consider consequential amendments during the course of the hearings.

Please refer to the following pages for the ID number of Submitters and Addresses forService.

Submitters List

Sub ID	Submitter	Contact Name	Address for Service
52245	Selwyn District Council	Mr Murray England	PO Box 90, Rolleston, 7643
66287	Fulton Hogan Limited	Mr Tim Ensor	C/- AECOM New Zealand, PO Box 710, Christchurch, 8140
65931	Oil Companies Z Energy, Mobil and BP	Mr Mark Laurenson	C/- Burton Planning Consultants Limited, PO Box 33-817, Takapuna, Auckland, 0740
65911	Canterbury District Health Board	Ms Denise Tully	Community & Public Health, PO Box 1475, Christchurch, 8140

Addendum to Summary of Decisions Requested Plan Change 4 to LWRP

Provision	SUB ID	Submitter	Support/Oppose	Planner - Summary of Decision Requested
2.9 Definitions, Translations and Abbreviations	PC4 LWRP-665	Selwyn District Council	Support	Retain the definition of 'Available reticulated stormwater system', particularly "the network operator will accept the stormwater from the property".
2.9 Definitions, Translations and Abbreviations	PC4 LWRP-666	Selwyn District Council	Support in Part	Amend the definition of 'Drainage System' to 'Rural Drainage System'.
2.9 Definitions, Translations and Abbreviations	PC4 LWRP-667	Selwyn District Council	Support in Part	Amend the definition of 'Drainage Water' to 'Rural Drainage Water'.
2.9 Definitions, Translations and Abbreviations	PC4 LWRP-668	Selwyn District Council	Support in Part	Amend the definition of 'Community drinking-water supply' as follows: means a drinking-water supply that is recorded in the drinking-water register maintained by the Chief Executive of the Ministry of Health (the Director-General) under section 69 of the Health Act 1956 that provides no fewer than 25 people with drinking-water for not less than 60 days each calendar year <u>, or is a drinking water supply operated by a local authority irrespective of the number of people it serves</u> .
2.9 Definitions, Translations and Abbreviations	PC4 LWRP-669	Selwyn District Council	Support in Part	Amend the definition of 'Floodwaters' as follows: means surface water that has inundated a property as a result of the breaching or over-topping of the banks of a surface water body <u>or that has inundated a property as a result of surface run-off water</u> .
2.9 Definitions, Translations and Abbreviations	PC4 LWRP-670	Selwyn District Council	Support in Part	Amend the definition of 'Reticulated Stormwater System' as follows: means a network of pipes, swales, drains, kerbs and channels owned or operated by a network utility operator that collects stormwater within urban areas areas with a residential, commercial or business zoning in a district plan and conveys that stormwater to any device, wetlands retention or detention pond or infiltration basins for the treatment of stormwater, prior to a discharge to land, groundwater, or surface water. It excludes any drainage system that has been constructed for the primary purpose of collection, conveyance or discharge of drainage water.
2.9 Definitions, Translations and Abbreviations	PC4 LWRP-671	Selwyn District Council	Support	Retain the definition of 'Stormwater'.
4.13	PC4 LWRP-672	Selwyn District Council	Support in Part	Amend 4.13(e) as follows: (e) in the case of surface water, results in a discharge that after reasonable mixing: (i) meets the receiving water standards in Schedule 5 as a first priority; and/or (ii) as a second priority, does not result in any further degradation in <u>overall</u> water quality in any receiving.....
4.15	PC4 LWRP-673	Selwyn District Council	Oppose	Delete reference to 'stormwater'.
4.16A	PC4 LWRP-674	Selwyn District Council	Oppose	Delete.
4.85A	PC4 LWRP-652	Fulton Hogan Limited	Support in Part	Amend 4.85(b) as follows: (b) limiting <u>indigenous</u> vegetation clearance within the bed, banks and margins of lakes, rivers, wetlands or coastal lagoons
4.86A	PC4 LWRP-653	Fulton Hogan Limited	Oppose	Delete.

4.86B	PC4 LWRP-654	Fulton Hogan Limited	Oppose	Delete until a more comprehensive review of inanga spawning habitat is completed.
4.95A	PC4 LWRP-655	Fulton Hogan Limited	Oppose	Delete.
5.75	PC4 LWRP-675	Selwyn District Council	Support in Part	Add a permitted activity condition as follows: <u>A written permission has been obtained from the network operator that allows the entry of discharge into the network.</u>
5.77	PC4 LWRP-676	Selwyn District Council	Support in Part	Add a permitted activity condition as follows: <u>A written permission has been obtained from the network operator that allows the entry of discharge into the network.</u>
5.95	PC4 LWRP-677	Selwyn District Council	Support in Part	Add a permitted activity condition as follows: <u>A written permission has been obtained from the network operator that allows the entry of discharge into the network.</u>
5.96	PC4 LWRP-678	Selwyn District Council	Support in Part	Retain condition 2(a) AND Delete condition 2(f) AND Delete condition 2(e) OR clarify that to be available the network operator must accept the discharge.
5.115 -	PC4 LWRP-679	Selwyn District Council	Support	Retain condition 1 AND Delete matters of discretion 8 and 9.
5.133	PC4 LWRP-680	Selwyn District Council	Support in Part	Amend as follows: The temporary or permanent transfer, in whole or in part, (other than to the new owner of the site to which the take and use of the water relates and where the location of the take and use of water does not change) of a water permit to take or use surface water or groundwater, is a restricted discretionary permitted activity, provided the following conditions are met: <u>1. The transfer is to a territorial authority for the purpose of providing a community water supply. reliability of supply for any other lawfully established water take is not reduced; and.....</u> [submitter seeks to amend Rule 5.133 to provide a new Rule 5.133a - see original submission for detail]
5.142	PC4 LWRP-681	Selwyn District Council	Oppose	Delete PC4 amendments.
5.142A	PC4 LWRP-682	Selwyn District Council	Oppose	Delete.
5.145	PC4 LWRP-656	Fulton Hogan Limited	Oppose in Part	Amend condition 3 as follows: <u>3. All mobile plant is refuelled in a designated area. Refuelling occurs on an impermeable surface away from drains or watercourses and if not, drip trays are used ; and ...</u> [note: underlining in original submission confusing - see original submission for detail]
5.146A	PC4 LWRP-683	Selwyn District Council	Oppose	Amend as follows:

				Despite any other rule in this Plan, the disturbance of the bed and banks of a river to remove fine sediment less than 2 mm in diameter for the sole purpose of where there are benefits for habitat restoration, and the consequential damming, take, use and discharge of water in circumstances where contaminants may enter water is a restricted discretionary activity, provided the following conditions are met:.....
5.146B	PC4 LWRP-684	Selwyn District Council	Oppose	Amend as follows: The disturbance of the bed and banks of a river to remove fine sediment less than 2 mm in diameter for the sole purpose of where there are <u>benefits for</u> habitat restoration, and the consequential damming, take, use and discharge of water in circumstances where contaminants may enter water that does not meet one or more conditions of Rule 5.146A is a discretionary activity.
5.148 -	PC4 LWRP-657	Fulton Hogan Limited	Oppose	Amend condition 9 as follows: 9. The activity is not undertaken in an inanga or salmon spawning site listed in Schedule 17, or in any inanga spawning habitat during the inanga spawning season of 1 March to 1 June inclusive;
5.149	PC4 LWRP-658	Fulton Hogan Limited	Oppose	Delete PC4 amendments.
5.163	PC4 LWRP-659	Fulton Hogan Limited	Oppose in Part	Amend as follows: The introduction or planting of any plant, or the removal <u>clearance</u> and disturbance of existing vegetation in, on or under the bed of a lake or river.....the following conditions are met: 7. Vegetation clearance does not occur in an inanga or salmon spawning site listed in Schedule 17, or undertaken in any inanga spawning habitat during the period of 1 January to 1 June inclusive; and 9. From 5 September 2015, and within the bed of the Clarence, Waiau, Hurunui, Waimakariri, Rakaia, Rangitata, and the Waitaki rivers the vegetation <u>clearance of indigenous vegetation</u> does not result in a reduction in the area or diversity of existing <u>indigenous</u> riverbed vegetation; and
5.164	PC4 LWRP-660	Fulton Hogan Limited	Support in Part	Amend as follows: The introduction or planting of any plant, or the removal or disturbance of existing vegetation in, on or under the bed of a lake or river and any associated discharge of sediment or sediment-laden water that does not comply with one or more of the conditions of Rule 5.163, excluding conditions 2 and 4, and 9 , is a restricted discretionary activity.
5.165	PC4 LWRP-661	Fulton Hogan Limited	Oppose	Amend as follows: The introduction or planting of any plant, or the removal or disturbance of existing vegetation in, on or under the bed of a lake or river and any associated discharge of sediment or sediment-laden water that does not comply with one or more of the conditions conditions 2 or 9 of Rule 5.163 is a non-complying activity.
5.167	PC4 LWRP-662	Fulton Hogan Limited	Oppose in Part	Amend as follows: 4. The vegetation clearance does not occur adjacent to a salmon or an inanga spawning site listed in Schedule 17, or undertaken in any inanga spawning habitat during the period of 1 January to 1 June inclusive; and 6. From 5 September 2015, and within the bed of the Clarence, Waiau, Hurunui, Waimakariri, Rakaia, Rangitata, and the Waitaki rivers

				the vegetation clearance <u>of indigenous vegetation</u> does not result in a reduction in the area or diversity of existing riparian vegetation, unless the earthworks have been authorised by a land use consent granted by the relevant territorial authority and conditions 1 to 5 above are also met.
5.168	PC4 LWRP-663	Fulton Hogan Limited	Oppose in Part	Amend as follows: 3. The activity does not occur adjacent to a significant spawning reach for salmon or an inanga spawning site listed in Schedule 17, or undertaken in any inanga spawning habitat during the period of 1 January to 1 June inclusive; and 5. From 5 September 2015, and within the bed of the Clarence, Waiau, Hurunui, Waimakariri, Rakaia, Rangitata, and the Waitaki rivers the vegetation clearance <u>of indigenous vegetation</u> does not result in a reduction in the area or diversity of existing riparian vegetation, unless the earthworks have been authorised by a land use consent granted by the relevant territorial authority and conditions 1 to 4 above are also met.
Planning Maps	PC4 LWRP-651	Fulton Hogan Limited	Oppose	Amend the planning maps to provide further clarity as to where the inanga spawning sites and inanga spawning habitats are located. AND Delete the proposed inanga spawning habitat zones from the planning maps until a more comprehensive review is completed.
Schedule 25 - Water Supply Strategy	PC4 LWRP-647	Oil Companies Z Energy, Mobil and BP	Oppose	Delete Schedule 25.
Schedule 1 Group or Community Drinking-water Protection Zones	PC4 LWRP-648	Oil Companies Z Energy, Mobil and BP	Oppose	Delete PC4 amendments AND retain the deletion of references to group drinking-water supplies..
Schedule 8 Region-wide Water Quality Limits	PC4 LWRP-649	Canterbury District Health Board	Oppose	Delete sub-note 4. AND No specific decisions requested - submitter states for shallow groundwater a target level could be considered of <1 E coli/100ml - see original submission for detail.
Schedule 9 Assessment of Stream Depletion Effect	PC4 LWRP-600	Director General of Conservation	Support	Retain.