

Schedule 31:

Updated Table 15A(n) – Recalculated Catchment Load Limits

Area	Timing	Load limit (t/yr)
Northern Streams Area (Otaio, Kohika, Horseshoe, Makikihi)	From 1 May 2015	Otaio Plains 233 (includes Hunter Downs Irrigation Scheme total load limit) 127
		Otaio Hill Area 35
		Kohika Plains 155 (includes Hunter Downs Irrigation Scheme total load limit) 98
		Kohika Hill Area 3
		Horseshoe Plains 69 (includes Hunter Downs Irrigation Scheme total load limit) 28
		Makikihi Plains 153 205 (includes Hunter Downs Irrigation Scheme total load limit) 126
		Makikihi Hill Area 24
Waihao-Wainono Area	From 1 May 2015	Total catchment which comprises: Hill sub-area 306 Plains sub-area 1232 and includes: Hunter Downs Irrigation Scheme total load limit 267 Waihao Downs Irrigation Scheme total load limit 258
Morven-Sinclairs Area	From 1 May 2015	Morven-Sinclairs Plains 575

Updated October 2018 for OVERSEER® v6.3.0

Additional Information:

- Read the Environment Canterbury technical report 'South Canterbury Coastal Streams (SCCS) limit setting process - Predicting consequences of future scenarios: Overview Report'.
- Read the Environment Canterbury technical report 'Overview Report: Canterbury Matrix of Good Management Project'.
- Referenced OVERSEER® files available on request.