

From: [REDACTED]
To: [Hearings](#)
Cc: submissions@golder.co.nz
Subject: Notifications Consent Submission: Group 422
Date: Thursday, 30 May 2019 11:07:33 AM

Group ID: 422

Consent name: Fulton Hogan - Roydon Quarry

Consent number: CRC192408, CRC192409, CRC192410, CRC192411, CRC192412, CRC192413, CRC192414, RC185627

Name: Sangkeun Lee

Care of:

Mailing address 1: [REDACTED]

Mailing address 2: [REDACTED]

Suburb: [REDACTED]

Town/City: [REDACTED]

Post-code: [REDACTED]

Country: [REDACTED]

Mobile phone:

Work phone: [REDACTED]

Home phone:

Email: [REDACTED]

Contact by email: Yes

Is a trade competitor: No

Directly affected: Yes

Consent support/hearing details

- CRC192408: oppose | NOT to be heard | will NOT consider joint hearing
- CRC192409: oppose | NOT to be heard | will NOT consider joint hearing
- CRC192410: oppose | NOT to be heard | will NOT consider joint hearing
- CRC192411: oppose | NOT to be heard | will NOT consider joint hearing
- CRC192412: oppose | NOT to be heard | will NOT consider joint hearing
- CRC192413: oppose | NOT to be heard | will NOT consider joint hearing
- CRC192414: oppose | NOT to be heard | will NOT consider joint hearing
- RC185627: oppose | NOT to be heard | will NOT consider joint hearing

Reasons comment:

1. Health effects concerns about dust which contains silica compounds 2. Noise effects My property is located not far from Curraghs road (about 375 m) and I am concerned about noise coming from plant and heavy equipment. 3. A lowering of ground water level I understand that our existing submersible water pump was designed to be 43 m below ground level. I am concerned that the water taken from the Quarry will affect ground water level at my property. That means I will have a problem with muddy water and a need for replacement with new one,

Consent comment:

Decline these contents